

fullex® PATIO LOCK

PATIO AND SLIDING DOORS

Fullex Patio Door Lock has been designed to offer high security and long term reliability. It is available in 2 versions: 1414mm 6 hook and 1753mm 8 hook. They are suitable for all major PVCu profiles and boast exceptional security as well as durability.



PAS 24 tested

Available in 1414mm 6 hook and 1753mm 8 hook versions

Opposing stainless steel hooks and centre anti-lift bolt

Inclusive mishandling device to prevent damage to lock and keep

Shootbolt extendable at top and bottom as standard

One piece stainless steel keep

Each Patio Door Lock has been manufactured using Austenitic stainless steel, offering maximum corrosion resistance and creating a long lasting, durable product.

As with all Fullex Locks, the Patio Door Lock is both Secured by Design licenced and PAS 24 tested.



Technical Data

Corrosion Resistance

BS EN 1670 Grade 5 (480 hours)

Cycle Operation

Cycle tested to 100,000 operations

Materials

Top and Bottom Hook

Stainless Steel

Anti Lift Bolt

Stainless Steel

Faceplate

Stainless Steel

Gearbox

Stainless Steel centre gearbox

One Piece Keep

Stainless Steel

For maximum security this lock can be used with the Kinetica K4 3 star BSI Kitemarked TS007 cylinder.



Secured by Design



Police Preferred Specification



Whether you choose the 6 or 8 hook option, all hooks are opposing which makes it extremely difficult to lift them out. There is also a central anti-lift bolt to make this even more challenging.

On either Patio Lock, there is the option to add shootbolts at the top and the bottom. The shootbolts fire out securing the door further when it is locked.

Fullex Patio Locks have also been designed with an inclusive mishandling device. The device pushes in when the door is fully closed which then allows for the lock to be operated. This not only makes locking the door much smoother but also prevents damage to both the lock and the keep.

Faceplate: 1414mm x 16mm (Stainless Steel)

Spindle	Backset Size	Handle Centres	No of Hooks	Anti-Lift Bolts	Product Code
7mm	20mm	155mm	6 (opposing)	1	PD1000


Faceplate: 1753mm x 16mm (Stainless Steel)

Spindle	Backset Size	Handle Centres	No of Hooks	Anti-Lift Bolts	Product Code
7mm	20mm	155mm	8 (opposing)	1	PD2000

ACCESSORIES


Description	Product Code
16mm white end plug	PDKEP1016W
2 x 262mm shoot bolts and shoot bolts keeps	PDSB+KE

Ideal to be fitted with the
UAP patio door handle



PACKERS

Profile	Keep Profile	Product Code
Rehau and Decunick	02 / 12mm	PDLKP01
Profine Kommerling	02 / 12mm	PDLKP02
Eurocell	01 / 16mm	PDLKP03
Synseal and Selecta	01 / 16mm	PDLKP04
Halo Bowater / Veka	01 / 16mm	PDLKP05
Spectus	01 / 16mm	PDLKP07
Profine Kommerling	01 / 16mm	PDLKP09



PATIO PACKERS full[®]ex

Profile	Keep Profile	Product Code
Rehau and Decunick	02 / 12mm	PDLKP01
Profine Kommerling	02 / 12mm	PDLKP02
Eurocell	01 / 16mm	PDLKP03
Synseal and Selecta	01 / 16mm	PDLKP04
Halo Bowater / Veka	01 / 16mm	PDLKP05
Spectus	01 / 16mm	PDLKP07
Profine Kommerling	01 / 16mm	PDLKP09

