Offset Slim Pull Handle Made from 1.5mm 316 grade stainless steel Comes with an Allen Key and 2 Allen Bolts on each of the up-stands 32mm diameter for sturdier construction 3 fixing methods available hidden fixings, bolt through and back-to-back Easier to grip for those with arthritis or limited hand movement Each pull handle comes with a LIFETIME coating All pull handles have two guarantee! fixing points with an individual

Why get a UAP Offset pull handle (Slim)?

When designing the UAP Offset Slim Pull Handle, we consulted with several door manufacturers during the design process to ensure our offset pull handle met the desired specifications of the majority. We also did not want to have any of the downfalls that may be present on other pull handles in the market.

What is The Nanocoast Range?

The first thing we decided to do was make each offset pull handle from 1.5mm thick 316 grade stainless steel and made it part of the Nanocoast range. The UAP Nanocoast range of prosteel and-milects are specifically designed for areas which are within a 25-mile radius of the coast, or within 5 miles of highly populated industrial areas. Each offset slim pull handle has been salt spray tested to ASTM B117 for 2,000 hours, and comes with an industry first LIFETIME coating guarantee, as the pull handle will not pit, rust or corrode no matter what environments you put them in!

Benefits

We then made the pull handle have a much sturdier construction with a 38mm diameter. This also makes it easier to grip the handle, especially for people who have got arthritis or limited hand movement. So, with that said, it is a more robust type of bar. We decided against using a thinner up-stand and welding. Using a 38mm bar against a 38mm straight bar gives a more robust and better-looking product. The bolt through fixing gives a neater finish and as Stainless Steel 316 is used, the product will not rust and so there will be no leakage if it rains. Each offset pull handle comes with an Allen Key and 2 Allen Bolts on each of the up-stands. The bolts are all made from 316 grade stainless steel. All the pull handles have two fixing points with an individual plate on each.

nanocoast

Coating

Guarantee

plate on each

Offset- Satin Stainless Steel:

Size	Product Codes	Centres	Material Construction	Coating Guarantee
600mm	PH600OFF-SSS-SLIM- NANOCOAST	400mm	Stainless Steel	LIFETIME
1000mm	PH900OFF-SSS-SLIM- NANOCOAST	800mm	Stainless Steel	LIFETIME
1200mm	PH1200OFF-SSS-SLIM- NANOCOAST	1000mm	Stainless Steel	LIFETIME

Offset- Black:

Size	Product Codes	Centres	Material Construction	Coating Guarantee
900mm	PH900OFF-BLACK-SLIM	700mm	Stainless Steel	LIFETIME
1200mm	PH1200OFF-BLACK-SLIM	1000mm	Stainless Steel	LIFETIME
1500mm	PH1500OFF-BLACK-SLIM	1300mm	Stainless Steel	LIFETIME

Back-to-Back:

Size	Product Codes	Centres	Material Construction	Coating Guarantee
600mm	PH600OFF-SSS-SLIM-B2B- NANOCOAST	400mm	Stainless Steel	LIFETIME
1000mm	PH1000OFF-SSS-SLIM-B2B- NANOCOAST	800mm	Stainless Steel	LIFETIME
1200mm	PH1200OFF-SSS-SLIM-B2B- NANOCOAST	1000mm	Stainless Steel	LIFETIME
1800mm	PH1800OFF-SSS-SLIM-B2B- NANOCOAST	1500mm	Stainless Steel	LIFETIME

What makes the offset slim pull handle really stand out is the 3 different fixing methods available - hidden fixings, bolt though and use, fixings. Due to the fixing methods, customers also have the option of sending the door to the site without the offset pull handle on, this will prevent damage in transit or on site. The door will simply be sent with the fixings on, and the installation would be completed on site:

Hidden Fixings The pull handle comes with two fixing points each with an individual plate. These are fitted to wooden and timber doors using three screws. The pull handle then attaches to the plates and is secured with the Allen bolts. The internal fixings are not visible on the door!

Bolt Through The bolt through method uses a brass thread reducer; this is included in one of the two accessory kits. The brass thread reducer has a 1.5mm thread on the outside which will thread into the upstand. On the internal of the reducer is an N8, this is an 8mm bolt through which provides an ideal position for an internal bolt to fit through. The two Allen bolts give extra protection against vibrations that may take effect on a main road causing bolts to come undone. With the Allen bolts this will not happen!

Back-to-back We have developed a system which is incredibly easy to use, and which will reduce fitting times to just seconds. Included in the second accessory kit is two plates which have holes all the way through. Once the plate is fitted on the inside of the door, the bolt can be pushed through the plate and screwed into the brass reducer. The internal pull handle would then be fitted using the hidden fix system. This offers an extremely strong back-to-back fixing method!