


TS008 Certifire Letterplate

The Soterian Slim



Quick and easy fitting

No visible fixings

Anti-Vandal® feature

Smooth working mechanism

Full unrestricted door opening – minimal internal flap projection of only 35mm from the end of the door handle meaning the door will open FULLY without the letterplate stopping it doing so

What is TS008?

TS008 has come in to effect that sets the advanced security requirements of letterplates. The updated door standard PAS24:2022, now requires that a door fitted with a letterplate has to have a letterplate that is tested to and meets the requirements of TS008. As well as covering key fishing, TS008 also covers preventing being able to unlock the door through the letterplate, whilst also allowing postal items to pass freely.

The Soterian Slim

Slim but mighty. The Soterian Slim letterplate boasts features that not only set it apart from other TS008 letterplates on the market, but beyond TS008. The letterplate consists of a minimal internal flap projection of only 14mm from the door surface, giving a less intrusive feel to the door. In fact, the letterplate lies within the straight line from the hinge side of the door to the handle. This unrestricted door opening means the door can open fully without the risk of the letterplate smashing against and causing damage to the interior wall.

Can withstand thousands of openings

Designed for 44mm composite and timber doors – 48mm, 54mm, 56mm and 70mm versions coming soon

Aluminium flap construction

Offers maximum protection from key fishing

Restricted opening to protect against key fishing and lock manipulation

Patent pending



Finish	Internal Frame Code*	External Frame Code	Flap Material Construction	Coating Guarantee
Silver	TS008-SLIM-INTERNAL-SILVER-CERTIFIRE(V)-FD30	TS008-EXTERNAL-SILVER-FR	Aluminium & Stainless Steel	5 Years Inland
Satin Chrome	TS008-SLIM-INTERNAL-SATINCHROME-CERTIFIRE(V)-FD30	TS008-EXTERNAL-PS-FR	Aluminium & Stainless Steel	5 Years Inland
PVD Gold	TS008-SLIM-INTERNAL-PVDG-CERTIFIRE(V)-FD30	TS008-EXTERNAL-PVDG-NANOCOAST-FR	Aluminium & Stainless Steel	5 Years Inland
Chrome	TS008-SLIM-INTERNAL-CHROME-CERTIFIRE(V)-FD30	TS008-EXTERNAL-CHROME-FR**	Aluminium & Stainless Steel	5 Years Inland
		TS008-EXTERNAL-MPSS-NANOCOAST-FR		
White	TS008-SLIM-INTERNAL-WHITE-CERTIFIRE(V)-FD30	TS008-EXTERNAL-WHITE-FR	Aluminium & Stainless Steel	5 Years Inland
Black Powder Coated	TS008-SLIM-INTERNAL-BLACK-CERTIFIRE(V)-FD30	TS008-EXTERNAL-BLACK-FR	Aluminium & Stainless Steel	5 Years Inland
Gold Anodised	-	TS008-EXTERNAL-GOLD-FR	Aluminium & Stainless Steel	5 Years Inland
Satin Stainless Steel	TS008-SLIM-INTERNAL-SSS-CERTIFIRE(V)-FD30	TS008-EXTERNAL-SSS-NANOCOAST-FR	Stainless Steel	5 Years Inland




Mix and match solution


Our revolutionary mix and match solution gives you the freedom to choose what finish you want for the internal and external frame. Whether it is a black inner frame with a white outer frame, or a traditional gold inner flap and gold outer flap – the choice is yours! Choose from 6 different finishes: chrome, gold adonised, silver adonised, polished silver, black and white.

Certifire Approved

We are pleased to announce that our Soterian Slim TS008 letterplate has achieved Certifire approval from Warringtonfire Testing & Certification Limited. The letterplate is approved for use with FD30 and FD60 timber doorsets. View the Certifire certificate under the Brochures & Tech Sheets tab.

Easy 5-step fitting





External frame sizes

Distance between screw holes	277mm
Letterplate Length	305mm
Letterplate Height	58mm
Frame Material	Aluminium
Cavity Hole Size	54mm x 259 mm

Internal frame sizes

Distance between screw holes	277mm x 48mm
Letterplate Length	298mm
Letterplate Height	98mm
Flap Material	Aluminium
Frame Material	Stainless Steel
Flap Projection	14mm

