


TS008 Certifire Letterplate

The Soterian



37 degrees opening to protect against key fishing

No visible fixings

Anti-Vandal® feature

Smooth working mechanism

Full unrestricted door opening – minimal internal flap projection of only 35mm from the end of the door handle meaning the door will open FULLY without the letterplate stopping it doing so

What is TS008?

TS008 has come in to effect that sets the advanced security requirements of letterplates. The updated door standard PAS24:2022, now requires that a door fitted with a letterplate has to have a letterplate that is tested to and meets the requirements of TS008. As well as covering key fishing, TS008 also covers preventing being able to unlock the door through the letterplate, whilst also allowing postal items to pass freely.

Certifire Rated

The Soterian has been awarded the 60 minute fire-resistant Certifire certificate for 54mm timber doors and tested to Certifire standards for up to 30 minutes on a 44mm timber door profile. Receiving Certifire certification means that after stringent testing The Soterian has proven to withstand the effects of a fire and remain intact on the door for at least 30 minutes. The fire-rated TS008 letterplate range features an intumescent lining which has the ability to expand to 50 times its volume in order to seal any gaps in the door hardware. This in turn reduces the amount of smoke that is able to seep through the aperture; and completely prevents the spread of flame.

Can withstand thousands of openings

Designed for 44mm and 55mm composite and timber doors

Offers maximum protection from key fishing

Restricted opening to protect against key fishing and lock manipulation

Patent pending

Award-winning

Aluminium flap construction






certifire

Product codes

Finish	Internal FD30 Composite	External	Flap Material	Coating Guarantee
Gold Anodised	TS008-INTERNAL-GOLD-FD30-COMPOSITE	TS008-EXTERNAL-GOLD-FR	Aluminium	5 Years Inland
Silver Anodised	TS008-INTERNAL-SILVER-FD30-COMPOSITE	TS008-EXTERNAL-SILVER-FR	Aluminium	5 Years Inland
Polished Silver	TS008-INTERNAL-PS-FD30-COMPOSITE	TS008-EXTERNAL-PS-FR	Aluminium	5 Years Inland
Black	TS008-INTERNAL-BLACK-FD30-COMPOSITE	TS008-EXTERNAL-BLACK-FR	Aluminium	5 Years Inland
White	TS008-INTERNAL-WHITE-FD30-COMPOSITE	TS008-EXTERNAL-WHITE-FR	Aluminium	5 Years Inland
Gold Anodised	TS008-INTERNAL-GOLD-FD30-COMPOSITE	TS008-EXTERNAL-GOLD-FR	Aluminium	5 Years Inland
Silver Anodised	TS008-INTERNAL-SILVER-FD30-COMPOSITE	TS008-EXTERNAL-SILVER-FR	Aluminium	5 Years Inland
Polished Silver	TS008-INTERNAL-PS-FD30-COMPOSITE	TS008-EXTERNAL-PS-FR	Aluminium	5 Years Inland
PVD Gold	-	TS008-EXTERNAL-PVDG-NANOCOAST-FR	Stainless Steel	Lifetime
Satin Stainless	-	TS008-EXTERNAL-SSS-NANOCOAST-FR	Stainless Steel	Lifetime

Finish	Internal FD30 Timber 44mm	Internal FD60 Timber 54mm	External	Flap Material	Coating Guarantee
	certifire	certifire			
Gold Anodised	TS008-INTERNAL-GOLD-FD30-TIMBER	TS008-INTERNAL-GOLD-FD60-TIMBER	TS008-EXTERNAL-GOLD-FR	Aluminium	5 Years Inland
Silver Anodised	TS008-INTERNAL-SILVER-FD30-TIMBER	TS008-INTERNAL-SILVER-FD60-TIMBER	TS008-EXTERNAL-SILVER-FR	Aluminium	5 Years Inland
Polished Silver	TS008-INTERNAL-PS-FD30-TIMBER	TS008-INTERNAL-PS-FD60-TIMBER	TS008-EXTERNAL-PS-FR	Aluminium	5 Years Inland
Black	TS008-INTERNAL-BLACK-FD30-TIMBER	TS008-INTERNAL-BLACK-FD60-TIMBER	TS008-EXTERNAL-BLACK-FR	Aluminium	5 Years Inland
White	TS008-INTERNAL-WHITE-FD30-TIMBER	TS008-INTERNAL-WHITE-FD60-TIMBER	TS008-EXTERNAL-WHITE-FR	Aluminium	5 Years Inland
Gold Anodised	TS008-INTERNAL-GOLD-FD30-TIMBER	TS008-INTERNAL-GOLD-FD60-TIMBER	TS008-EXTERNAL-GOLD-FR	Aluminium	5 Years Inland
Silver Anodised	TS008-INTERNAL-SILVER-FD30-TIMBER	TS008-INTERNAL-SILVER-FD60-TIMBER	TS008-EXTERNAL-SILVER-FR	Aluminium	5 Years Inland
Polished Silver	TS008-INTERNAL-PS-FD30-TIMBER	TS008-INTERNAL-PS-FD60-TIMBER	TS008-EXTERNAL-PS-FR	Aluminium	5 Years Inland
PVD Gold	-	-	TS008-EXTERNAL-PVDG-NANOCOAST-FR	Stainless Steel	Lifetime
Satin Stainless	-	-	TS008-EXTERNAL-SSS-NANOCOAST-FR	Stainless Steel	Lifetime





External frame sizes

Distance between screw holes	277mm
Letterplate Length	305mm
Letterplate Height	75mm
Cavity Hole Size	53mm x 260 mm

Internal frame sizes

Letterplate Length	300mm
Letterplate Height	115mm
Projection	35mm
Frame Material	Aluminium

Mix and match solution

Our revolutionary mix and match solution gives you the freedom to choose what finish you want for the internal and external frame. Whether it is a black inner frame with a white outer frame, or a traditional gold inner flap and gold outer flap – the choice is yours! Choose from 6 different finishes: chrome, gold adonised, silver adonised, polished silver, black and white.

